



---

**A D D E N D U M N O . 0 2**

---

**DATE:** April 30, 2026  
**TO:** Prospective Bidders  
**FROM:** Jacob Mickey, Project Manager – American Structurepoint, Inc.  
**RE:** **Addendum No. 02**  
IU Project No. 20250249  
BL614 Ruth Lilly Auxiliary Library Facility Roof Replacement  
2850 East Discovery Parkway, Bloomington, Indiana 47408

---

This Addendum forms a part of the Contract and Bidding Documents.

Acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.

---

**CLARIFICATIONS, MODIFICATIONS, and REVISIONS**

1. The following clarifications and requirements apply to the self-regulating electric heat tracing system identified in Alternate No. 3:
  - A. Provide a complete, operational self-regulating heat tracing system at exterior gutter and downspouts indicated in plans to prevent ice formation and maintain drainage. System shall include heating cables, controls, power connections, and accessories.
  - B. Heating cable shall be self-regulating, UV-resistant, and rated for exterior wet locations.
  - C. Provide automatic controls (ambient thermostat or snow/moisture sensor) and GFCI protection.
  - D. All components shall be listed and labeled for intended use and installed in accordance with manufacturer requirements. Acceptable manufacturers include nVent Raychem, Thermon, Chromalox, or approved equal.
  - E. System to be compatible with roofing assembly. Coordinate installation with roofing system to maintain warranty.
2. Contractors are permitted to utilize building water sources for construction activities, including concrete cleaning, subject to availability and coordination with the Owner. Proximity and accessibility of water sources to work areas are not guaranteed and shall be verified by the contractor. Refer to Section 011000, Paragraph 1.9 of the Specifications regarding use of Owner-provided utilities.
3. The Bid Due Date remains 2:00 P.M. Eastern Time, on Thursday, May 7, 2026.

**End of Addendum No. 02**